





# Licht specificaties

		High	Middle	Low
3112	Lumens	100	med: 60	20
()	Runtime	3h 30 mir	nmed: 6h 30 m	in 26h
	Beam distance	90m	med: 45m	15m
	Water resistant	IP67		

## Kleuren

black/yellow E78CHB 2

#### Power

2 x AA Alkaline (incl.)

### Gewicht

160gr

## Certificering

ATEX Zone 2/22 certified headlamp

### Overige

Description

Headlamp keeps hands free for work and can be:

- worn on the head with the headband

- attached to the helmet with a mounting plate (included)

- placed on the ground

CONSTANT LIGHTING technology ensures brightness that does not gradually decrease as the battery drains Several lighting modes adapt to each situation:

- a mode adapted for close range work: wide, uniform beam
- a mode adapted for movement: mixed beam with focused component allows user to move around comfortably
- a mode adapted for long-range vision: focused beam

Lighting for professionals that is reliable, practical and durable:

- automatically switches to reserve mode when batteries are almost drained (signaled by blinking light and red indicator)

- rotating knob that is ergonomic, even with gloves
- storage position helps protect the headlamp lens and prevents inadvertently turning it on
- may be used in explosive environments
- excellent resistance to falls (2 m), impacts, and crushing (80 kg)
- comfortable and washable elastic headband
- resistant to chemicals (see www.petzl.com/PIXA)

ATEX Zone 2/22 certified headlamp