Pixa 3R

Petzl



LED

Licht specificaties

	High	Middle	Low
Lumens	90	med: 55	20
Runtime	3u	med: 5u	11h 30 min
Beam distance	90m	med: 45m	15m
Water resistant	IP67		

Kleuren

black/yellow (E78CHR 2)

Power

rechargeable Lithium-Ion Polymer battery, 930 mAh

Gewicht

145gr

Certificering

ATEX Zone 2/22 certified headlamp

Overige

Description

Headlamp keeps hands free for work and can be:
- worn on the head with the headband
- attached to the helmet with a mounting plate (included)
- placed on the ground
For frequent use, with integrated rechargeable Lithium-Ion polymer battery and quick charging dock (3 hours)
CONSTANT LIGHTING technology ensures brightness that dœs not gradually decrease as the battery drains
Several lighting modes adapt to each situation:
- a mode adapted for close range work: wide, uniform beam
- a mode adapted for movement: mixed beam with focused component allows user to move around comfortably
- a mode adapted for long-range vision: focused beam
Burn time parameters may be used to adapt lighting performance to need (by rapidly turning the knob):
- STANDARD: balance between power and burn time
- MAX AUTONOMY: burn time prioritized
- MAX POWER: brightness prioritized
Lighting for professionals that is reliable, practical and durable:
- automatically switches to reserve mode when battery is almost drained (signaled by blinking light and red indicator)
- rotating knob that is ergonomic, even with gloves
- storage position helps protect the headlamp lens and prevents inadvertently turning it on
- charging dock for direct charging of the headlamp itself or only the battery
- may be used in explosive environments
- excellent resistance to falls (2 m), impacts, and crushing (80 kg)
- comfortable and washable elastic headband
- resistant to chemicals (see www.petzl.com/PIXA)
ATEX Zone 2/22 certified headlamp
- Recharge time: 3h