




9480 RALS

Peli



Licht specificaties

	High	Middle	Low
 Lumens	4000	med: 3000	1000
 Runtime	6h	med:8h	28h
 Water resistant	IP54		

Afmetingen

Head (L x W x D): 8.25 x 5.75" x 2.25 (21 x 14.6 x 5.7 cm)

Closed (L x W x D): 15.50 x 6.50" x 10.25 (39.4 x 16.5 x 26 cm)

Mast Length: 23.75"

Materiaal

Body: Polypropylene

Head: Aluminum

Mast: Aluminum

Lens: Polycarbonate (PC)

Kleuren

yellow

black

Power

Sealed Lead Acid
(SLA)

Gewicht

27.50 lbs (12.5 kg)

Schakelaar

Switch Type: Silicone Rubber Keypad

Light Modes: High / Medium / Low / Flashing

Overige

LIGHT SPECS

Lumens (High): 4000

Lumens (Med): 3000

Lumens (Low): 1000

Lamp Heads: 1

Lamp Type: LED

Number of LEDs: 8

Lamp Life: 50000 hrs

Beam Spread: 125°

IP Rating: 54

POWER

Run Time (High): 6.00 hrs

Run Time (Med): 8.00 hrs

Run Time (Low): 28.00 hrs

Battery Type: Sealed Lead Acid (SLA)

Battery Lifespan: 500 cycles

Charge Time: 480 mins

Battery Level Indicator: Full-time battery level display and low battery warning (visible flashing)

Sockets (Primary): 1

Volts: 12.0v