







# Right Angle LED Alkaline #510304

Bright Star



## Licht specificaties

	<b>Lumens</b>	200
	<b>Peak beam intensity</b>	35000cd
	<b>Runtime</b>	15h
	<b>Beam distance</b>	374m
	<b>Drop resistant</b>	1M
	<b>Water resistant</b>	1M

## Afmetingen

Length: 2.5 in. (6.4 cm)

Width: 3.0 in. (7.6 cm)

Height: 7.0 in. (17.8 cm)

## Kleuren

orange

## Power

6 x AA Alkaline (excl.)

## Gewicht

500gr (with batteries)

## Certificering

UL Protection Methods

UL 913 CSA C22.2

NFPA 70 504.2 (2008)

Intrinsically Safe

Class I Div 1 & 2 Groups A, B, C, D

Class II, Div 1 & 2 Groups E, F, G

Class III, Div 1 & 2

Operating Temp Code T3

## Overige

Product Features

? Division 1 safety approved

? Supports Alkaline or Li-Ion Battery Packs

? Impact Resistant to 1 Meter

? Ergonomically Designed Switch, for Ease of  
Operation

? Waterproof to 1 Meter

? Light weight (1 lb)

? Low Profile Design keeps it close to your body

? Unparalleled smoke penetration.